

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/772,160	02/03/2004	Ronald C. Tate	1505-0170	1860		
7590 10/28/2005			EXAM	EXAMINER		
Harold C. Moore			NGUYEN	NGUYEN, JIMMY		
Maginot, Moore	e & Beck					
Bank One Cent	er/Tower	ART UNIT	PAPER NUMBER			
	Circle, Suite 3000	2829	2829			
Indianapolis, IN 46204-5115			DATE MAILED: 10/28/200:	DATE MAILED: 10/28/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

					NAN
		Application No.		Applicant(s)	A)
Office Action Summary		10/772,160		TATE, RONALD C	
		Examiner		Art Unit	
_		Jimmy Nguyen		2829	
 Period for	The MAILING DATE of this communication app Reply	ears on the cove	r sheet with the c	orrespondence add	lress
THE MA  - Extensise after SIX  - If the pector of NO pector Failure Any rep	RTENED STATUTORY PERIOD FOR REPLY AILING DATE OF THIS COMMUNICATION. ons of time may be available under the provisions of 37 CFR 1.13 (6) MONTHS from the mailing date of this communication. or original for reply specified above is less than thirty (30) days, a reply priod for reply is specified above, the maximum statutory period to reply within the set or extended period for reply will, by statute by received by the Office later than three months after the mailing patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, how y within the statutory mi will apply and will expire , cause the application to the second	ever, may a reply be tim nimum of thirty (30) days SIX (6) MONTHS from o become ABANDONEI	nely filed s will be considered timely. the mailing date of this cor D (35 U.S.C. § 133).	nmunication.
Status					
1)⊠ R	esponsive to communication(s) filed on 22 A	uaust 2005.			
• —		action is non-fin	al.		
,	ince this application is in condition for allowar		•	secution as to the	merits is
-	losed in accordance with the practice under E				
Dispositio	n of Claims				
5) ☐ C 6) ☑ C 7) ☐ C 8) ☐ C	claim(s) 1-20 is/are pending in the application a) Of the above claim(s) is/are withdraw laim(s) is/are allowed. claim(s) 1-20 is/are rejected. claim(s) is/are objected to. claim(s) are subject to restriction and/o	wn from conside			
Application	n Papers	•		·	
10)⊠ TI A R	ne specification is objected to by the Examine ne drawing(s) filed on <u>03 February 2004</u> is/are pplicant may not request that any objection to the eplacement drawing sheet(s) including the correct ne oath or declaration is objected to by the Example 1.	e: a)⊠ accepted drawing(s) be held tion is required if th	I in abeyance. See ne drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CF	R 1.121(d).
Priority un	der 35 U.S.C. § 119				
a)	cknowledgment is made of a claim for foreign    All   b)	s have been rec s have been rec nty documents h u (PCT Rule 17.2	eived. eived in Applicati ave been receive 2(a)).	on No ed in this National S	Stage
Attachment(s	s)				
	of References Cited (PTO-892)	4)	Interview Summary		
2) Notice 3) Informa	of Draftsperson's Patent Drawing Review (PTO-948) Ition Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date		Paper No(s)/Mail Da Notice of Informal F Other:	ate Patent Application (PTO	-152)

Art Unit: 2829

#### **DETAILED ACTION**

### Response to Argument

The applicant's amendment filed 8/22/05 has been carefully considered with the following effect;

The applicant argues that the Jackson reference does not disclose all the limitation of claim 1. For example, the Jackson reference does not discloses a second current coil "constructed substantially identical in shape" to a first current coil, as set forth in claim 1 (page 8 of the remark). The examiner is respectfully traverse this argument. The first and the second current coil (18a, 18b) are substantially identical in shape, because of figure 1 only illustrate the side view of the meter, further the applicant is using the term "SUBSTANTIALLY" which means the two are not exactly identical. Therefore, the Jackson reference is still read on the claim invention.

Further, The applicant argues that the two sections oriented in a radial direction are at substantially that same angular direction form the axial direction (page 9 of remark). Thus, Jackson does not disclose the limitation of claim 12 that states, "wherein the second radial direction is at a substantially different angular direction from the axial direction than the first direction". The examiner is disagree. As indicated by the applicant "the two sections oriented in a radial direction are at substantially that same angular direction form the axial direction", which means they are almost the same or substantially the same but in fact they are different. In addition, the measurement contact element (22, 24, 34) is the combination of the blade contact portion and circuit board contact portion.

As explained in detail above, the amendments do not render the claims distinct and patentable over prior art; nor do the amendments overcome the rejection. The applicant's arguments have considered in full, but they are deemed to be unpersuasive. Therefore, this final rejection is made.

### Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1 20 are rejected under 35 U.S.C. 102(b) as being anticipated by Jackson et al. (US 5,933,004).

As to claim 1, Jackson et al disclose (fig 1) a current coil arrangement in an electricity meter, comprising:

a first current coil (18a) having two current blades (22a, 24a) and a middle portion extending therebetween, the two current blades (22a, 24a) configured to be received by a utility meter socket device, the middle portion (the curve portion) and the current blades (22a, 24a) being integrally formed of a conductive material, the first current coil (18a) being asymmetrical about the midpoint between the two current blades (22a, 24a), the first current coil (18a) disposed at least partially within the electricity meter (26); and

Art Unit: 2829

a second current coil (18b) disposed at least partially within the electricity meter (26), the second current coil (18b) constructed substantially identical in shape to the first current coil (18a).

As to claim 2, Jackson et al disclose (figs 1, 2) the current coil arrangement of claim 1, wherein the middle portions of the first current coil (18a) and the second current coil (18b) pass in a current sensing relationship to a first current transformer (16a).

As to claim 3, Jackson et al disclose (figs 1, 2) the middle portions (the curved portion) of the first current coil (18a) and the second current coil (18b) pass through a void (the protruded portion from the interface 26) defined in the current transformer (16).

As to claims 4, 12, Jackson et al disclose (figs 1, 2) the current coil arrangement of claim 1 wherein the direction of insertion of the current blade into the utility meter socket defines an axial direction, the axial direction further defining a radial direction and wherein the first current coil further comprises:

a first section (1, as seen in additional attached below) including a first current blade (22a), the first section having a length extending in the axial direction;


a second section (2, as seen in additional attached below) having a length extending at least in a first radial direction from the first section;

Art Unit: 2829

a third section (3, as seen in additional attached below) having a length extending in the axial direction from the second section;

a fourth section (4, as seen in additional attached below) having a length extending at least in a second radial direction from the third section, wherein the second radial direction at a substantially different angular direction from the axial direction than the first radial direction, and

a fifth section (4, as seen in additional attached below) including a second current blade, the fifth section having a length extending in the axial direction from the fourth section.



Art Unit: 2829

As to claims 5, 13, Jackson et al disclose (figs 1, 2) the first section (1) extends to a first height that exceeds a second height (2), the fifth section (5) extending to the second height.

As to claims 6, 14, Jackson et al disclose (figs 1, 2) the current coil arrangement of claim 5, wherein the third section (3) has a third height, and wherein the first height (1) is approximately equal to the sum of the second height (2) and the third height (3).

As to claims 7, 15, Jackson et al disclose (figs 1, 2) the lengths of the second (2) and fourth section (4) extend in a primarily non-axial direction.

As to claims 8, 16, Jackson et al disclose (figs 1, 2) the lengths of the second (2) and fourth (4) section extend in different radial directions with respect to the third (3) section.

As to claims 9, 10, 17, Jackson et al disclose (figs 1, 2) the first current coil (18a) is formed of a flat length of metal.

As to claim 11, Jackson et al disclose (figs 1, 2) the first current coil (18a) has a length dimension, width dimension and thickness dimension, the first current coil (18a) having a plurality of bends about the width dimension.

Art Unit: 2829

As to claims 18, 19, Jackson et al disclose (figs 1, 2) a current coil arrangement in an electricity meter, comprising;

a current coil (18a, 18b) including an exposed conductive portion disposed between two meter blades;

a measurement contact element, the measurement contact element including a blade contact portion (22, 24) and circuit board contact portion (34), the circuit board contact (34) portion configured to electrically connect to a circuit board (34) connection, the blade contact portion (22, 24) including a flexible member biased toward and disposed against the exposed conductive portion.

As to claim 20, Jackson et al disclose (figs 1, 2) the circuit board contact portion includes a spring terminal.

## Conclusion

3. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

Art Unit: 2829

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jimmy Nguyen whose telephone number is (703) 306-5858. The examiner can normally be reached on M-F from 9 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ramtez Nestor, can be reached on 571-272-2034. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jimmy Nguyen

10/21/05

VINH NGƯYEN PRIMARY EXAMINER

> A-U. 2829 10/27/05

Page 8